						Det 6/14/85
Ref #	Hits	Search Query	DBs	Default Operato r	Plural s	Time Stamp
L1	.650	interference ADJ1 signal\$3 ADJ1 code ADJ1 power\$1 OR ISCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14
ГЗ	4859	received ADJ1 signal\$3 ADJ1 strength ADJ1 indicat\$5 OR RSSI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 07:17
L4	8977	signal ADJ1 to ADJ1 nterference ADJ1 ratio OR signal\$4to\$linterference ADJ1 ratio\$1 OR SIR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 07:11
L6	1124802	power\$1 WITH (total OR wide\$1band\$1 OR channel\$1 OR link\$1 OR receiv\$4 OR transmit\$5 OR transmission\$1 OR control\$3) OR RTWP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 07:20
L8	40077	hand\$lover\$1 OR hand ADJ1 over\$1 OR hand\$loff\$1 OR call ADJ1 admission\$1 OR radio ADJ1 link\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 07:21
L9	1157720	L1 OR L3 OR L4 OR L6 OR L8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 07:22
L10	40589	L9 SAME (table\$1 OR database\$1 OR map\$1 OR repositor\$5)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 07:22
L11	10378	L9 SAME (table\$1 OR database\$1 OR map\$1 OR repositor\$5) SAME (time\$1 OR timing\$1 OR age\$1 OR aging\$3 OR time\$1stamp\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 08:07
L12	4632	L9 SAME (table\$1 OR database\$1 OR map\$1 OR repositor\$5) WITH (time\$1 OR timing\$1 OR age\$1 OR aging\$3 OR time\$1stamp\$3)	US-PGPUB , USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 07:25
L16	1900	L9 SAME (table\$1 OR database\$1 OR map\$1 OR repositor\$5) WITH (time\$1 OR timing\$1 OR age\$1 OR aging\$3 OR time\$1stamp\$3) AND L9 SAME (threshold\$3 OR pre\$1determin\$4 OR default\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 07:26

						· · · · · · · · · · · · · · · · · · ·
L17	228	L16 AND "370"/\$6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 07:55
L18	V 383	L16 AND "455"/\$6 ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 07:55
L19	290	L18 NOT L17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 07:55
L20	19080	(table\$1 OR database\$1 OR map\$1 OR repositor\$5) WITH ((time\$1 OR timing\$1) NEAR2 expir\$6 OR ages\$1 OR aging\$1 OR time\$1stamp\$3 OR tim\$3 NEAR1 stamp\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2005/06/14 08:11
L21	1183687	radio\$1 OR RF OR wireless\$1 OR mobile\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 08:10
L22	5326	L20 AND L21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 08:10
L23	496	L22 AND "370"/\$6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 08:10
L24	24489	((time\$1 OR timing\$1) NEAR2 expir\$6 OR age\$1 OR aging\$1 OR time\$1stamp\$3 OR tim\$3 NEAR1 stamp\$3) SAME (default\$1 OR pre\$1determin\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 08:12
L25	1107	L20 AND L21 AND L24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 08:12
L26	/ 155	L20 AND L21 AND L24 AND "370"/\$6.ccls:	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 08:24
L27	√ 142	L20 AND L21 AND L24 AND "455"/\$6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 08:32

L28	28462	valid\$5 SAME availabl\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 08:34
132	6168	values OR parameter\$1) WITH (unstable\$1 OR stabilit\$3 OR valid\$5) SAME (availabl\$5 OR expir\$5 OR age\$1 OR aging\$1)	US-PGPUB , USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 08:38
L33	386	L32 AND ("370"/\$6.ccls. OR "455"/\$6.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 08:41
S1	516	cave.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 07:25
S2	51	cuffaro.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 07:25
S3	1384	joanne.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2004/09/10 07:25
S4	40793	zhang.iń.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2004/09/10 07:25
S 5.	326	zuniga in	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2004/09/10 07:26
S6	0	cave.in. AND cuffaro.in. AND joanne.in. AND zhang. in. AND zuniga.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 07:26
S 7	76	(cave.in OR cuffaro.in OR joanne.in OR zhang.in OR zuniga.in) AND (measure\$4 WITH (radio\$1 OR wireless\$1))	US-PGPUB , USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 07:27

				r	,	
S8	25	(cave.in. OR cuffaro.in. OR joanne.in. OR zhang.in. OR zuniga.in.) AND (measure\$4 WITH (radio\$1 OR wireless\$1)) AND (time\$1stamp\$3 OR (time ADJ1 stamp\$3) OR predict\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 07:30
S9	29521	(time\$1stamp\$3 OR (time\$1 ADJ2 stamp\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 14:06
S10	867	((time\$1stamp\$3 OR (time\$1 ADJ2 stamp\$3))) WITH measurement\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 07:31
S11	390	((time\$1stamp\$3 OR (time\$1 ADJ2 stamp\$3))) WITH measurement\$1 AND (radio\$1 OR wireless\$1 OR BTS OR RBS OR CDMA OR W\$1CDMA OR 3GPP OR UMTS OR HSDPA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 09:40
S12	146	(((time\$1stamp\$3 OR (time\$1 ADJ2 stamp\$3))) WITH measurement\$1 AND (radio\$1 OR wireless\$1 OR BTS OR RBS OR CDMA OR W\$1CDMA OR 3GPP OR UMTS OR HSDPA)) AND ("370"/\$6.ccls. OR "709"/\$6.ccls. OR "455"/\$6.ccls. OR "714"/\$6.ccls. OR "375"/\$6.ccls.)	·US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 10:21
S13	15236	(call\$1 ADJ1 admission\$1 ADJ1 control\$1) OR CAC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 09:36
S14	153	((call\$1 ADJ1 admission\$1 ADJ1 control\$1) OR CAC) AND ((time\$1stamp\$3 OR (time\$1 ADJ2 stamp\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 13:01
S15	96690	(interference ADJ1 signal\$3 ADJ1 code\$1 ADJ1 power\$1) OR ISCP OR (power\$3 ADJ2 measurement\$1) OR power\$2measurement\$1 OR (receiv\$3 ADJ1 total ADJ1 wide\$1band\$1 ADJ1 power\$1) OR PTWP OR (signal ADJ1 strength\$1) OR signal\$3strength\$1 OR RSSI OR (transmission\$1 ADJ2 power\$1) OR (signal ADJ2 interference) OR SIR OR signal\$1to\$1interference\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 09:39

S16	1723	((interference ADJ1	US-PGPUB	OR	OFF	2004/09/10
		signal\$3 ADJ1 code\$1 ADJ1 power\$1) OR ISCP OR (power\$3 ADJ2 measurement\$1) OR power\$2measurement\$1 OR (receiv\$3 ADJ1 total ADJ1 wide\$1band\$1 ADJ1 power\$1) OR PTWP OR (signal ADJ1 strength\$1) OR signal\$3strength\$1 OR RSSI OR (transmission\$1 ADJ2 power\$1) OR (signal ADJ2 interference) OR SIR OR signal\$1to\$1interference\$1) AND ((time\$1stamp\$3 OR (time\$1 ADJ2 stamp\$3)))	; USPAT; EPO; JPO; DERWENT; IBM_TDB			12:43
S17	640364	radio\$1 OR wireless\$1 OR BTS OR RBS OR CDMA OR W\$1CDMA OR 3GPP OR UMTS OR HSDPA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 09:41
S18	1383	((interference ADJ1 signal\$3 ADJ1 code\$1 ADJ1 power\$1) OR ISCP OR (power\$3 ADJ2 measurement\$1) OR power\$2measurement\$1 OR (receiv\$3 ADJ1 total ADJ1 wide\$1band\$1 ADJ1 power\$1) OR PTWP OR (signal ADJ1 strength\$1) OR signal\$3strength\$1 OR RSSI OR (transmission\$1 ADJ2 power\$1) OR (signal ADJ2 interference) OR SIR OR signal\$1to\$1interference\$1) AND ((time\$1stamp\$3 OR (time\$1 ADJ2 stamp\$3))) AND (radio\$1 OR wireless\$1 OR BTS OR RBS OR CDMA OR W\$1CDMA OR 3GPP OR UMTS OR HSDPA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2004/09/10 09:41
S19	162	((interference ADJ1 signal\$3 ADJ1 code\$1 ADJ1 power\$1) OR ISCP OR (power\$3 ADJ2 measurement\$1) OR power\$2measurement\$1 OR (receiv\$3 ADJ1 total ADJ1 wide\$1band\$1 ADJ1 power\$1) OR PTWP OR (signal ADJ1 strength\$1) OR signal\$3strength\$1 OR RSSI OR (transmission\$1 ADJ2 power\$1) OR (signal ADJ2 interference) OR SIR OR signal\$1to\$1interference\$1) SAME ((time\$1stamp\$3 OR (time\$1 ADJ2 stamp\$3)))	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10
S20	96	(time\$1vary\$3 OR (time ADJ1 vary\$3)) WITH weight\$3 WITH function\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 10:27

S21	29	((time\$1vary\$3 OR (time ADJ1 vary\$3)) WITH weight\$3 WITH function\$1) AND ("370"/\$6.ccls. OR "709"/\$6.ccls. OR "455"/\$6. ccls. OR "714"/\$6.ccls. OR "375"/\$6.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 12:43
522	1353	(time\$1vary\$3 OR (time ADJ) vary\$3)) NEAR3 function\$1	US-PGPUB , USPAT; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2004/09/10 10:27
S23	20	((time\$1vary\$3 OR (time ADJ1 vary\$3)) NEAR3 function\$1) AND ((time\$1stamp\$3 OR (time\$1 ADJ2 stamp\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 10:27
S24	4538	((interference ADJ1 signal\$3 ADJ1 code\$1 ADJ1 power\$1) OR ISCP OR (power\$3 ADJ2 measurement\$1) OR power\$2measurement\$1 OR (receiv\$3 ADJ1 total ADJ1 wide\$1band\$1 ADJ1 power\$1) OR PTWP OR (signal ADJ1 strength\$1) OR signal\$3strength\$1 OR RSSI OR (transmission\$1 ADJ2 power\$1) OR (signal ADJ2 interference) OR SIR OR signal\$1to\$1interference\$1) AND (age\$1 OR aging\$1)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10
S25	275	((interference ADJ1 signal\$3 ADJ1 code\$1 ADJ1 power\$1) OR ISCP OR (power\$3 ADJ2 measurement\$1) OR power\$2measurement\$1 OR (receiv\$3 ADJ1 total ADJ1 wide\$1band\$1 ADJ1 power\$1) OR PTWP OR (signal ADJ1 strength\$1) OR signal\$3strength\$1 OR RSSI OR (transmission\$1 ADJ2 power\$1) OR (signal ADJ2 interference) OR SIR OR signal\$1to\$1interference\$1) SAME (age\$1 OR aging\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 12:43

		· · · · · · · · · · · · · · · · · · ·		r		, , ,
S26	67	(((interference ADJ1 signal\$3 ADJ1 code\$1 ADJ1 power\$1) OR ISCP OR (power\$3 ADJ2 measurement\$1) OR power\$2measurement\$1 OR (receiv\$3 ADJ1 total ADJ1 wide\$1band\$1 ADJ1 power\$1) OR PTWP OR (signal ADJ1 strength\$1) OR signal\$3strength\$1 OR RSSI OR (transmission\$1 ADJ2 power\$1) OR (signal ADJ2 interference) OR SIR OR signal\$1to\$1interference\$1) SAME (age\$1 OR aging\$1)) AND ("370"/\$6.ccls. OR "709"/\$6.ccls. OR "455"/\$6. ccls. OR "714"/\$6.ccls. OR "375"/\$6.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 13:48
S27	4713	((call\$1 ADJ1 admission\$1 ADJ1 control\$1) OR CAC) AND (age\$1 OR aging\$1)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 13:01
S28	55	((call\$1 ADJ1 admission\$1 ADJ1 control\$1) OR CAC) SAME (age\$1 OR aging\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 13:02
S29	21	((call\$1 ADJ1 admission\$1 ADJ1 control\$1) OR CAC) SAME interfer\$5 SAME power\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 13:17
S30		((call\$1 ADJ1 admission\$1 ADJ1 control\$1) OR CAC) AND ((interference ADJ1 signal\$3 ADJ1 code\$1 ADJ1 power\$1) OR ISCP OR (power\$3 ADJ2 measurement\$1) OR power\$2measurement\$1 OR (receiv\$3 ADJ1 total ADJ1 wide\$1band\$1 ADJ1 power\$1) OR PTWP OR (signal ADJ1 strength\$1) OR signal\$3strength\$1 OR RSSI OR (transmission\$1 ADJ2 power\$1) OR (signal ADJ2 interference) OR SIR OR signal\$1to\$1interference\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 13:37

S31	47	((call\$1 ADJ1 admission\$1 ADJ1 control\$1) OR CAC) SAME ((interference ADJ1 signal\$3 ADJ1 code\$1 ADJ1 power\$1) OR ISCP OR (power\$3 ADJ2 measurement\$1) OR power\$2measurement\$1 OR (receiv\$3 ADJ1 total ADJ1 wide\$1band\$1 ADJ1 power\$1) OR PTWP OR (signal ADJ1 strength\$1) OR signal\$3strength\$1 OR RSSI OR (transmission\$1 ADJ2 power\$1) OR (signal ADJ2 interference) OR SIR OR signal\$1to\$1interference\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10
S32	128	((call\$1 ADJ1 admission\$1 ADJ1 control\$1) OR CAC) AND ((interference ADJ1 signal\$3 ADJ1 code\$1 ADJ1 power\$1) OR ISCP OR (power\$3 ADJ2 measurement\$1) OR power\$2measurement\$1 OR (receiv\$3 ADJ1 total ADJ1 wide\$1band\$1 ADJ1 power\$1) OR PTWP OR (signal ADJ1 strength\$1) OR signal\$3strength\$1 OR RSSI OR (transmission\$1 ADJ2 power\$1) OR (signal ADJ2 interference) OR SIR OR signal\$1to\$1 interference\$1) AND (((time\$1stamp\$3 OR (time\$1 ADJ2 stamp\$3))) OR (age\$1 OR aging\$1)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÖR	OFF	2004/09/10
S33	1450	((call\$1 ADJ1 admission\$1 ADJ1 control\$1) OR CAC) AND ((stor\$3 OR sav\$3) WITH time\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 13:47
S34		((call\$1 ADJ1 admission\$1 ADJ1 control\$1) OR CAC) AND ((interference ADJ1 signal\$3 ADJ1 code\$1 ADJ1 power\$1) OR ISCP OR (power\$3 ADJ2 measurement\$1) OR power\$2 measurement\$1) OR (receiv\$3 ADJ1 total ADJ1 wide\$1band\$1 ADJ1 power\$1) OR PTWP OR (signal ADJ1 strength\$1) OR signal\$3 strength\$1 OR RSSI OR (transmission\$1 ADJ2 power\$1) OR (signal ADJ2 interference) OR SIR OR signal\$1 to\$1) interference\$1) AND ((stor\$3 OR sav\$3) WITH time\$1)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10
S35	4344	(time\$1stamp\$3 OR (time\$1 ADJ2 stamp\$3)) WITH (age\$1 OR aging\$1 OR valid\$5 OR invalid\$1 OR threshold\$1 OR compar\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 14:13

S36	18	((call\$1 ADJ1 admission\$1 ADJ1 control\$1) OR CAC) AND ((time\$1stamp\$3 OR (time\$1 ADJ2 stamp\$3)) WITH (age\$1 OR aging\$1 OR valid\$5 OR invalid\$1 OR threshold\$1 OR compar\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 14:07
S37	7652	(time\$1stamp\$3 OR (time\$1 ADJ2 stamp\$3)) WITH (sav\$3 OR store\$1 OR storing\$1 OR storage\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 14:26
S38	2057	((time\$1stamp\$3 OR (time\$1 ADJ2 stamp\$3)) WITH (sav\$3 OR store\$1 OR storing\$1 OR storage\$1)) AND ((time\$1stamp\$3 OR (time\$1 ADJ2 stamp\$3)) WITH (age\$1 OR aging\$1 OR valid\$5 OR invalid\$1 OR threshold\$1 OR compar\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 14:26
S39	107	((time\$1stamp\$3 OR (time\$1 ADJ2 stamp\$3)) WITH (sav\$3 OR store\$1 OR storing\$1 OR storage\$1)) AND (time\$1 ADJ2 stamp\$3)) WITH (age\$1 OR aging\$1 OR valid\$5 OR invalid\$1 OR valid\$5 OR invalid\$1 OR threshold\$1 OR compar\$4)) AND ((interference ADJ1 signal\$3 ADJ1 code\$1 ADJ1 power\$1) OR ISCP OR (power\$3 ADJ2 measurement\$1) OR power\$2 measurement\$1 OR (receiv\$3 ADJ1 total ADJ1 wide\$1band\$1 ADJ1 power\$1) OR signal ADJ1 strength\$1 OR signal ADJ1 strength\$1 OR (signal ADJ1 strength\$1) OR signal\$3 ADJ1 strength\$1 OR signal\$3 ADJ1 ADJ2 interference) OR SIR OR signal\$1 ADJ2 interference\$1)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ,	OFF	2004/09/10
S40	71	(time\$1stamp\$3 OR (time\$1 ADJ2 stamp\$3)) WITH ((interference ADJ1 signal\$3 ADJ1 code\$1 ADJ1 power\$1) OR ISCP OR (power\$3 ADJ2 measurement\$1) OR power\$2measurement\$1 OR (receiv\$3 ADJ1 total ADJ1 wide\$1band\$1 ADJ1 power\$1) OR PTWP OR (signal ADJ1 strength\$1) OR signal\$3strength\$1 OR RSSI OR (transmission\$1 ADJ2 power\$1) OR (signal ADJ2 interference) OR SIR OR signal\$1to\$1interference\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 14:26

			1	T	T	
S41		((time\$1stamp\$3 OR (time\$1 ADJ2 stamp\$3)) WITH (sav\$3 OR store\$1 OR storing\$1 OR storage\$1)) AND ((time\$1stamp\$3 OR (time\$1 ADJ2 stamp\$3)) WITH (age\$1 OR aging\$1 OR valid\$5 OR invalid\$1 OR threshold\$1 OR compar\$4)) AND ((time\$1stamp\$3 OR (time\$1 ADJ2 stamp\$3)) WITH ((interference ADJ1 signal\$3 ADJ1 code\$1 ADJ1 power\$1) OR ISCP OR (power\$3 ADJ2 measurement\$1) OR power\$2measurement\$1 OR (receiv\$3 ADJ1 total ADJ1 wide\$1band\$1 ADJ1 power\$1) OR PTWP OR (signal ADJ1 strength\$1) OR signal\$3strength\$1 OR RSSI OR (transmission\$1 ADJ2 power\$1) OR (signal ADJ2 interference) OR SIR OR signal\$1to\$1interference\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 14:27
S42	10	predict\$6 WITH actual\$5 WITH ((time\$1stamp\$3 OR (time\$1 ADJ2 stamp\$3)))	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÖR	OFF	2004/09/10 14:41
S53	1362	radio\$1 ADJ1 resourc\$3 ADJ1 management\$1 OR RRM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 17:05
S54	204	S53 AND (time\$1stamp\$3 OR tim\$3 NEAR2 stamp\$3 OR age\$1 OR aging\$1)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 17:06
S58	50	S54 AND ("370"/\$6.ccls. OR "455"/\$6.ccls. OR "709"/\$6. ccls. OR "714"/\$6.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 17:21
S59	13333	measure\$6 NEAR2 report\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2005/06/13 17:22
S60	V 148	S53 AND S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 18:42

- т			-			
S61	f /83	S53 AND (predict\$5 SAME measur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 18:43
S64	24916	predict\$5 SAME (default\$5 OR pre\$1determin\$5)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 18:51
S65	1296	predict\$5 SAME (default\$5 OR pre\$1determin\$5) SAME (availabl\$5 OR unavailabl\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 18:51
S67	1379	predict\$5 SAME (default\$5 OR pre\$1determin\$5) SAME (availab\$6 OR unavailab\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 18:53
S68	√ 73	S67 AND "370"/\$6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 19:06
S69	√ ⁵⁷	S67 AND "455"/\$6.ccls.	US-PGPUB , USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 07:08